




10800433 - GAEV 2624

PATENT
5838-00205

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.: 10/800,433
Confirmation No.: 1763
Filing Date: March 15, 2004
Inventors: Murphy et al.
Title: SYSTEM AND METHOD
FOR FACILITATING
CARDIAC INTERVENTION

§ Examiner: Unknown
§ Art Unit: 3736
§ Atty. Dkt. No.: 5838-00205/EBM
§
§
§
§
§
§
§
§
§
§

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8	
DATE OF DEPOSIT:	4/20/05
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail on the date indicated above and is addressed to:	
Commissioner for Patents Alexandria, VA 22313	
	
Jackie L. Pitre	

INFORMATION DISCLOSURE STATEMENT


Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313

Sir:

It is respectfully requested that this Information Disclosure Statement be entered and the documents listed on attached Form PTO-1449 be considered by the Examiner and made of record. Copies of U.S. Patents and U.S. Patent Applications are not required and have not been provided. Copies of documents E1-E8 are enclosed for the convenience of the Examiner.

Should any fees be required, the Commissioner is authorized to charge said fees to Meyertons, Hood, Kivlin, Kowert & Goetzel, P.C. Deposit Account No. 50-1505/5838-00205/EBM.

Respectfully submitted,


Eric B. Meyertons
Reg. No. 34,876
Attorney for Applicants

MEYERTONS, HOOD, KIVLIN, KOWERT & GOETZEL, P.C.
P.O. Box 398
Austin, Texas 78767-0398
Ph: (512) 853-8800 Fax: (512) 853-8801
Date: 4/20/05

Form PTO-1449 (modified) List of Patents and Publications For Applicant's Information Disclosure Statement (Use several sheets if necessary)		ATTY. DKT. NO.: 5838-00205 APPLICANT: Murphy et al. FILING DATE: March 15, 2004		SERIAL NO. 10/800,433 ART NO. 3736 CONFIRM. NO. 1763	
U.S. PATENT DOCUMENTS					
INITIALS	REF. DES.	DOCUMENT NUMBER	DATE	NAME	FILING DATE APPROPRIATE
		4,436,684	3/13/1984	White	
		5319551	06/07/1994	Sekiguchi et al.	
		6415048	07/02/2002	Schneider	
U.S. PUBLISHED APPLICATIONS					
EXAM. INITIALS	REF. DES.	PUBLICATION NUMBER	DATE	COUNTRY	FILING DATE APPROPRIATE
		20010012913	Iliff	8/9/2001	
		20050020929	Murphy et al.	1/27/2005	
		20050043609	Murphy et al.	2/24/2005	
		2004-0176679 A1	Murphy et al.	9/9/2004	
		2004-0153128 A1	Murphy et al.	8/5/2004	
OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)					
	E1	International Search Report and Written Opinion for PCT/US04/02669 mailed February 3, 2005 (Atty. Docket No.: 5838-03102).			
	E2	Written Opinion for PCT/US04/02669 mailed February 3, 2005 (Atty. Docket No.: 5838-03102).			
	E3	Patel, N. C. et al., "Neurological Outcomes in Coronary Surgery: Independent Effect of Avoiding Cardiopulmonary Bypass" Ann. Thorac. Surg. 2002;74:400-6, Presented at the 38th Annual Meeting of The Society of Thoracic Surgeons Fort Lauderdale, FL, Jan 28-30, 2002.			
	E4	Imamaki, M. et al., "Prediction of improvement in regional left ventricular function after coronary artery bypass grafting" J. Cardiovascular Surg. Oct., 2002; Vol. 43, No. 5: pp. 603-7.			
	E5	Coates, T. F. et al., "Constrained Active Appearance Models" (http://citeseer.nj.nec.com/cache/papers/cs/22292/http://zSzzSzwww.wiau.man.ac.uk/zSzzSzPaperszSziccv2001.pdcoates01constrained.pdf) Proc. Int. Conf. on Computer Vision July 9-12, 2001, Vol. I, pp. 748-754, 2001.			
	E6	nerac.com "tech track: cardiac MRI", Question No. 1193837.005, April 11, 2003.			
	E7	nerac.com "tech track: Florence H Sheehan", Question No. 1199989.005, February 28, 2003.			
	E8	nerac.com "tech track: cardiac MRI", Question No. 1193837.005, April 12, 2003.			

EXAMINER: /Manav Seth/

DATE CONSIDERED: 10/28/2008

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the patent owner

Information Disclosure Statement-PTO 1449 (modified)
ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /M.S./